

ATTREZZATURE PER LA RISTORAZIONE

LINEA COTTURA



Profondità cm 60

***Clicca sulle foto e sul codice per visualizzare le caratteristiche tecniche**



BMT-63EM



BMT-64EM



BMT-66EM



BMT-64G



BMT-66G



BST-64EM



BRF-64ET



BRF-64G



BRF-66ET



BRT-66G



CF4-68G glass



CF4-68G



BRF-64G



BRT-66ET



BRT-66G



CF4-68G glass



CF4-68G



CF6-610G glass



CF6-610G



CF4-68GEM glass



CF4-68GEM



CF6-610GEM glass



CF6-610GEM



CFM4-66ET glass




CFM4-66ET




CFM4-68ET glass



CFM4-68ET



CFM6-610ET glass




CFM6-610ET




CF4-68ET glass



CF4-68ET



CF6-610ET glass



CF6-610ET



CFM4-66GEM glass



CFM4-66GEM



CFM4-68GEM glass



CFM4-68GEM



CFM6-610GEM glass



CFM6-610GEM



TPF4-610G glass



TPF4-610G



TPF4-610GEM glass



TPF4-610GEM



CFM4-66ET glass



CFM4-66ET



CF2-68G



CF2-68GEM



CF2-68GEM glass



CFM2-68GEM



CF3-612GV



CF3-612GEMV



CFM3-612GEMV glass



CFM3-612GEMV



CPT-64ET



CPT-66ET



CPT-64G



CPT-66G



CPT-66ET



CPA-66ET



CPA-66G



CWKT-64ET



CWKT-68ET




CWT-64ET



CWT-66ET



CWT-68ET



CWT-64G



CWT-66G



CWT-68G



F10T-63EM



F10T-63ET



F2-10T-66ET



F2-10T-66EM



F8T-63G



F2-8T-66G



F13-64ET




F13-64G




FTLT-64ET



**FTRT-64ET
FTRT-64ETS**



**FTLT-66ET
FTLT-66ETS**



**FTLRT-66ET
FTLRT-66ETS**




**FTRT-66ET
FTRT-66ETS**




**FTLT-68ET
FTLT-68ETS**



**FTLRT-68ET
FTLRT-68ETS**



**FTRT-68ET
FTRT-68ETS**



**FTLT-610ET
FTLT-610ETS**



**FTLRT-610ET
FTLRT-610ETS**



**FTLRT-610ET
FTLRT-610ETS**



**FTRT-610ET
FTRT-610ETS**



**FTRT-64G
FTRT-64GS**



**FTLT-64G
FTLT-64GS**



**FTLRT-66G
FTLRT-66GS**




**FTRT-66G
FTRT-66GS**



**FTLT-68G
FTLT-68GS**



**FTLRT-68G
FTLRT-68GS**



**FTRT-68G
FTRT-68GS**



**FTLT-610G
FTLT-610GS**



**FTLRT-610G
FTLRT-610GS**



**FTRT-610G
FTRT-610GS**



RSFT-63EM



PCT-63ET



PCT-66ET



PCCT-63ET



PCCT-66ET




PCIT-64ET



PCIT-64ETD



PCIWT-64ET



PCIWT-64ETD



PCT-63G



PCT-66G



PCT-610G



PCIT-64G



PC2T-68G




PC3T-612G



TPT-64G



TP4T-610G



PLT-62



PLT-63



PLT-64



PLT-66



PLT-68



PLT-610



PLA-68



LAT-64



LAT-68



LAT-6100X



LAT-6105X



LAA-68



MFM-68EM glass



MFM-68EM



MFM-610EM glass



MFM-610EM



MPI-64




M-62



**M-63
M-64**



M-66



**M-67
M-68**



**M-69
M-610
M-612**



**S63 - S 64 - S66
S68 - S610**

ATTREZZATURE PER LA RISTORAZIONE

LINEA COTTURA



ITALIAN CULINARY ART



Profondità cm 65

*Clicca sulle foto e sul codice per visualizzare le caratteristiche tecniche



BM-4EM



BM-6EM



BM-8ET



BM-10ET



BM-4G



BM-6G



PC-10ET



PCIW-4ET



PCIW-4ETD



PC-4G



PC-8G



PC-12G



PCC-4ET



PCC-6ET - PCC-8ET



BR-6ET



CF4-8ET glass



CF4-8ET



CF4-8ETS glass



CF4-8ETS



CFC4-8ET glass



CFC4-8ET



CF4-8G glass



CF4-8G



CF4-8GEM glass



CF4-8GEM



CF4-8GEMS glass



CF4-8GEMS



CP-4ET



CP-6ET



CP-6G



CPM-6G



CW-4ET



CW-6ET



CW-4G



CW-6G



FQ-4EM - FQ-4ET



FQ-6EM - FQ-6ET



FP-6ET



FQ-4G



FQ-6G



FP-6G



FQM-4G



FTL-4EM - FTL-4ET
FTL-4EMS - FTL-4ETS



FTR-4EM - FTR-4ET
FTR-4EMS - FTR-4ETS



FTL-6ET - FTL-6ETS



FTLR-6ET - FTLR-6ETS



FTR-6ET - FTR-6ETS



FTL-8ET - FTL-8ETS



FTLR-8ET - FTLR-8ETS



FTL-4G - FTL-4GS



FTL-6G - FTL-6GS



FTLR-6G - FTLR-6GS



FTR-6G - FTR-6GS



FTL-8G - FTL-8GS



FTLR-8G - FTLR-8GS



PL-4



PL-6 - PL-8



PL-10



APL-85



LA-6



LA-12 DX



LA-12 SX



LL-12 DX



LL-12 SX

ALA-85

M-4

MP-4

MC-4

M-6

MP-6

ATTREZZATURE PER LA RISTORAZIONE

LINEA COTTURA



ITALIAN CULINARY ART



Profondità cm 70

*Clicca sulle foto e sul codice per visualizzare le caratteristiche tecniche



**CF4-78ET
CFV4-78ET**



**CFQ4-78ET
CFVQ4-78ET**



**CFC4-78ET
CFVC4-78ET**



CF4-78GP



**CF4-78GPE
CFV4-78GPE**



CFA4-78GP



**CF6-712ETV
CFV6-712ETV**



**CFQ6-712ETV
CFVQ6-712ETV**



CF6-712ET



CFQ6-712ET



CF6-712GPV



**CF6-712GPEV
CFV6-712GPEV**



CFA6-712GPV



CF6-712GP



CF6-712GPE



PC-74ET



PC-78ET



PC-712ET



PCQ-74ET



PCQ-78ET



PCQ-712ET



PCC-74ET



PCC-78ET



PCI-74ET



PCI-74ETD



PCIW-74ET



PCIW-74ETD



PCI-78ET



PCI-78ETD



PC-74GP



PC-78GP



PC-712GP



PC-716GP



PC1-74G



PC2-78G



PC3-712G



PCA-74GP



PCA-78GP



PCA-712GP



PCW-74G



PA-78G



PAF-78G



TP-74G



TP-78G



TP2-78GP



TP2-712GP



TP4-712GP



TP-78ET



**TPF-78ET
TPFV-78ET**



TPF-78G



**TPF-78GE
TPFV-78GE**



TPF2-78GP



**TPF2-78GPE
TPFV2-78GPE**



TPF2-712GPV



**TPF2-712GPEV
TPFV2-712GPEV**



TPF2-712GP



TPF2-712GPE



TPF4-712GPV



**TPF4-712GPEV
TPFV4-712GPEV**



TPF4-712GP



TPF4-712GPE



BM-74EM



BM-78EM



BM-74G



BM-78G



BS-74EM



CP-74ET



CPA-74ET



CP-76ET



CPA-76ET

						
CP-78ET	CPA-78ET	CP-74G	CPA-74G	CP-76G	CPA-76G	CP-78G
						
CPA-78G	SCCP-72EM	PI50-78ET PI50A-78ET	PD50-78G	PI50-78G PI50A-78G		
						
FTL-74ET FTL-74ETS	FTR-74ET FTR-74ETS	FTL-76ET FTL-76ETS	FTLR-76ET FTLR-76ETS	FTR-76ET FTR-76ETS	FTL-78ET FTL-78ETS	FTLR-78ET FTLR-78ETS
						
FTR-78ET FTR-78ETS	FTL-712ET FTL-712ETS	FTLR-712ET FTLR-712ETS	FTR-712ET FTR-712ETS	FTL-712ET3 FTL-712ET3S	FTLR-712ET3 FTLR-712ET3S	FTL-74G FTL-74GS
						
FTR-74G FTR-74GS	FTL-76G FTL-76GS	FTLR-76G FTLR-76GS	FTR-76G FTR-76GS	FTL-78G FTL-78GS	FTLR-78G FTLR-78GS	FTR-78G FTR-78GS
						
FTL-712G FTL-712GS	FTLR-712G FTLR-712GS	FTR-712G FTR-712GS	FTL-712G3 FTL-712G3S	FTLR-712G3 FTLR-712G3S	RSFT-73EM	CWK-74ET
						
CWK-78ET	CW-74ET	CW-78ET	CW-74G	CW-78G	F2/8-74ET	F13-74ET F18-74ET
						
F2/13-78ET F2/18-78ET	F45-78ET	F2/8-74G	F13-74G	F18-74G	F2/13-78G F2/18-78G	F45-78G
						
F18-74ETD	F18-74ETDP	F18-74ETDPS	F2/18-78ETD	F2/18-78ETDP	F2/18-78ETDPS	BR50-78ETFI
						
BRM50-78ETFI	BR50-78GFI	BRM50-78GFI	BRF-74ET	BRF-78ET	BRF-74G	BRF-78G



PL-72



PLS-73



PLS-74



PLS-76



PLS-78



PL-73



PL-74



PL-76



PL-78



LA-74



C-73/93



C-74/94



C-76/96



C-78/98



PLT-72



PLST-73



PLST-74



PLST-76



PLST-78



PLT-73



PLT-74



PLT-76



PLT-78



LAT-74



PCT-74ET



PCT-78ET



PCQT-74ET



PCQT-78ET



PCQT-712ET



PCCT-74ET



PCCT-78ET



PCIT-74ET



PCIT-74ETD



PCIWT-74ET



PCIWT-74ETD



PCIT-78ET



PCIT-78ETD



PCT-74GP



PCT-78GP



PCT-712GP



PCT-716GP



PCIT-74GP



PC2T-78GP



PC3T-712GP



PCWT-74G



PAT-78G



TPT-74G



TPT-78G



TPT-78ET



TP2T-78GP



TP2T-712GP



TP4T-712GP



BMT-74EM



BMT-78ET



BMT-74G



BMT-78G



BST-74EM



CPT-74ET



CPT-76ET



CPT-74G



CPT-76G



FTLT-74ET
FTLT-74ETS



FTRT-74ET
FTRT-74ETS



FTLT-76ET
FTLT-76ETS



FTLRT-76ET
FTLRT-76ETS



FTRT-76ET
FTRT-76ETS



FTLT-78ET
FTLT-78ETS




FTLRT-78ET
FTLRT-78ETS




FTRT-78ET
FTRT-78ETS



FTLT-712ET
FTLT-712ETS



**FTLRT-712ET
FTLRT-712ETS**



**FTRT-712ET
FTRT-712ETS**




**FTLT-712ET3
FTLT-712ETS3**



**FTLRT-712ET3
FTLRT-712ETS3**



**FTLT-74G
FTLT-74GS**



**FTRT-74G
FTRT-74GS**



**FTLT-76G
FTLT-76GS**



**FTLRT-76G
FTLRT-76GS**



**FTRT-76G
FTRT-76GS**



**FTLT-78G
FTLT-78GS**



**FTLRT-78G
FTLRT-78GS**




**FTRT-78G
FTRT-78GS**



**FTLT-712G
FTLT-712GS**



**FTLRT-712G
FTLRT-712GS**



**FTRT-712G
FTRT-712GS**



**FTLT-712G3
FTLT-712GS3**



**FTLRT-712G3
FTLRT-712GS3**



CWKT-74ET



CWKT-78ET



CWT-74ET



CWT-78ET



CWT-74G



CWT-78G



F2/8T-74ET



F13T-74ET



F2/13T-78ET



F2/8T-74G



F13T-74G



F2/13T-78G



**MFV-78ET
MF-710ET**



MPI-74



MPI-78




M-72 - M-74



M-76 - M-78




M-712



M-716


ATTREZZATURE PER LA RISTORAZIONE

LINEA COTTURA



Profondità cm 90

*Clicca sulle foto e sul codice per visualizzare le caratteristiche tecniche





BM-98ET



BM-94G



BS-94EM



CP-94ET



CPA-94ET



CP-98ET



CPA-98ET



CPB-98ET



CP-94G



CPA-94G



CP-98G



CPA-98G



CPB-98G



CPP-94G



CPPA-94G



SCCP-92EM
SCCPB-92EM



PI100-98ET
PI100A-98ET



PIA100-98ET
PIA100A-98ET



PD100-98G
PDA100-98G



PI100-98G
PI100A-98G



PIA100-98G
PIA100A-98G



PI150-98ET
PI150A-98ET



PIA150-98ET
PIA150A-98ET



PD150-98G
PDA150-98G



PI150-98G
PI150A-98G



PIA150-98G
PIA150A-98G



FTL-94ET
FTL-94ETS



FTR-94ET
FTR-94ETS



FTL-98ET
FTL-98ETS



FTLR-98ET
FTLR-98ETS



FTR-98ET
FTR-98ETS



FTL-912ET
FTL-912ETS



FTLR-912ET
FTLR-912ETS



FTL-916ET
FTL-916ETS



FTL-94G
FTL-94GS



FTR-94G
FTR-94GS



FTL-98G
FTL-98GS



FTLR-98G
FTLR-98GS



FTR-98G
FTR-98GS



FTL-912G
FTL-912GS



FTLR-912G
FTLR-912GS



FTL-916G
FTL-916GS



CWK-94ET



CWK-98ET



CW-94ET



CW-98ET



CW-94G



CW-98G



F2/8-94ET



F18-94ET
F25-94ET



F2/18-98ET
F2/25-98ET



F2/8-94G



F18-94G
F25-94G



F2/18-98G
F2/25-98G



F18-94ETD



F18-94ETDP



F18-94ETDPS



F2/18-98ETD



F2/18-98ETDP



F2/18-98ETDPS



F25-94ETD



F25-94ETDP



F25-94ETDPS



F2/25-98ETD



F2/25-98ETDP



F2/25-98ETDPS



BR80-98ETF/I




BRM80-98ETF/I



BR80-98GF/I



BRM80-98GF/I



Profondità cm 90



ATTREZZATURE PER LA RISTORAZIONE



D.L.SERVICE DIV. E-COMMERCE SRL

TEL: 0824 49346 - 0824 1816643

Numero verde 800 17 30 66

WhatsApp 389 7940545

email: info@ristorazione-refrigerazione.it